

Solidus S

Hi-End Loudspeakers

Solidus Loudspeakers were created to fulfill the highest demands in audiophile community. They deliver **full spectrum of sound with richness** and outstanding dynamics. Warm and huge sound - yet transparent and **delightful to listen**.

Planar Ribbons

Planar ribbons are the most accurate and detailed drivers ever created. Thin foil, which is moved by neodymium magnets, provides low distortion and faster response time than any cone driver or classic ribbon design. The **Solidus midrange and tweeter share the same driver type** to provide the best possible sound with smooth transition between them.

3-Way Sealed Box Design

The whole midrange is covered by one driver. Sound distributed from a 21 cm x 7.5cm wide-band planar surface is unique. Along with same type tweeter, identical driver insertion and front panel design **they blend as one**.

To make the design even more remarkable, we decided to use sealed box woofer design. Sealed box bass is always more natural and diverse than typical BR solutions. **Solidus uses a Scan-speak Revelator 13" Twin paper cone woofer** for the best possible performance in **bass extension and midrange blend**. It's sound quality and distortion perfectly fit out goal.

Handmade by Sisound

All our Loudspeakers are designed and handmade by us in Poland.





Solidus S

Special features:

Adjustable sound signature

The midrange and highs have attenuation options to fit room and personal sound taste.

Normal / Extended bass mode

Includes 2 LF options for room or amplifier power correction and deep bass enthusiast.

The midrange is di-polar

Closing and opening the back panel changes the di-pole midrange presentation.

The back panel is mounted on magnets

With optional open frame version to let the midrange sound excel through back. Including a special handle for removing the back panel.

The front cover is attached by invisible magnets

Which acts also as an additional sound filter.

The crossover is isolated from the bass enclosure

To keep it from distortions and vibrations.

Bi-wire / Bi-Amping compatible inputs

LF and HF crossovers are separated.

Loudspeakers are built only from high quality parts and drivers from EU, UK and US.

Internal wiring made from Sisound reference

multicore speaker cable Serenus SE.

Enclosure design with special bracing

and internal angles for acoustic response.

Damped with high quality wool

and acoustic foam materials.

Sisound

...For Pure Sound

Specification:

Dimensions: 125 x 43,5 x 36 cm

Weight: 52 kg each

Impedance: 4 Ohm

Sensitivity: 90dB

RMS: 300W

Type: 3 way

Bass: Sealed box

Frequency: 26Hz - 20kHz

Finish details:

Standard finish

7-layer hi-gloss black lacquer.

Other finishes

Any color and shine level can be done on request.

Wood veneer and natural wood

Front panel finishes available on request.

Front panel with baffles

Made from one piece of material.

SEAS superspikes included.

Delivery and setup

Done personally by Sisound.

Price for a pair: 15000€





Sisound

General Manager
Piotr Sosiński
☎ +48 608 854 122
@ ps@sisound.pl

Product Manager
Rafał Wołczyński
☎ +48 533 525 651
@ rafal@sisound.pl

www.sisound-audio.pl